


## Synergy 21 LED round light transparent 12W RL ww



kwh/1000h:	12,00
Lumens:	1050
Watt:	12,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED round light transparent  
Light-conducting lampshade: round (RL)  
Connection: 200-240 V/AC  
Wattage: 12 watts  
Lumen: 1080 lm  
CRI: >80  
Light colour: warm white  
Kelvin: 3000 ±200K  
Operating temperature: -20° +45° C  
Beam angle: 360°  
Size: Ø280mm  
Height: 42mm  
Weight: 1050 g  
Protection class: IP20 / IK05

Mounting:  
Clamp block in the lamp  
2 mounting screws included.

Energy efficiency class: A+  
kWh/1000h: 12


Image similar

## Attributes

Attribute	Value
Abstrahlwinkel:	360
Betriebstemperatur:	-20 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	Ø280*42
LED - Gehäusefarbe:	transparent
LED - Gehäusematerial:	Kunststoff
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lumen:	1080
Schutzklasse:	IP20
Volt:	230
Weight:	1.05 Kg

## Additional Images

Dimension



	Dimension D (mm)	Dimension H (mm)	Dimension M (mm)
12W	280	42	163
18W	360	46	212
24W	420	46	212



