


## Synergy 21 LED Spot Outdoor floodlight 20W nw 5°



**SYNERGY 21**




kwh/1000h:	20,00
Lumens:	1900
Watt:	20,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



With emergency power function and overheating protection  
Operating voltage: > AC 207-253V/50-60Hz  
LED: 20Watt high-power chips  
Beam angle: 5° with lenses  
Lumen: 1900lm  
neutral white: 4300-4500K  
CRI: Ra>80  
Dimmable: yes (leading edge phase dimmer)  
Housing: light grey with stainless steel mounting bracket  
Front glass: toughened safety glass (ESG)  
Operating temperature: -25°C to +55°C  
Protection class: IP65 (water jet-proof)  
Weight: 3.5kg  
Dimensions: (l\*w\*h) 240\*220\*75mm

Energy efficiency class: A+  
kWh/1000h: 20

## Additional Images



## Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
134568	Finder motion detector IP55
113414	Finder motion detector IP54
82434	Finder Twilight Switch suitable for Synergy 21 LED outdoor spotlight
147265	Netzkabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black