


## Synergy 21 LED Flex Strip 60 WW DC12V 24W IP62



kwh/1000h:	24,00
Lumens:	1500
Watt:	24,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED Flex Strip warm white DC12V 24W IP62

Voltage: 12V  
Watt: 24W  
Light colour: warm white 3000k ± 250K  
Beam angle: 120°  
Number of LEDs: 300  
Protection class: IP62  
Dimensions: 5000\*8\*3 mm  
Weight: 0.090 kg  
Can be shortened every 3 LEDs  
Adhesive tape for mounting aid on the back

Strip can be shortened at marking marks with sharp scissors.  
!Attention! Strip must be checked for functionality beforehand.  
Only split the strip when there is no power.

Please note that LED strips must also be cooled.  
Ensure that the LED strip does not exceed the working temperature of 40°C, otherwise the service life cannot be guaranteed.

Energy efficiency class: A  
kWh/1000h: 24

## Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	2
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	8
LED Strip Höhe:	3
LED Strip Klebeband:	ja
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	3000
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lichtfarbe Name:	warmweiß
Lumen:	1550
Schutzklasse:	IP62
Volt:	12
Weight:	0.2 Kg

## Additional Images



## Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
139522	Mean Well power supply - 12V 120W IP67