

## Type F: Product specification sheet Germany



Original + rib [DE]<sup>2</sup>



Original USB + rib [DE]<sup>2</sup>




Extended [DE]



Extended USB [DE]



Docks 3pcs [EU]



|                                    | Original + rib [DE] <sup>2</sup> | Original USB + rib [DE] <sup>2</sup> | Extended [DE]          | Extended 3m [DE] <sup>1</sup> | Extended USB [DE]           | Extended USB 3m [DE] <sup>1</sup> | Docks 3pcs [EU]               |
|------------------------------------|----------------------------------|--------------------------------------|------------------------|-------------------------------|-----------------------------|-----------------------------------|-------------------------------|
| <b>Article code</b>                | 1103/DEORPC                      | 1203/DEOUPC                          | 1306/DEEXPC            | 1307/DEEXPC                   | 1406/DEEUPC                 | 1407/DEEUPC                       | 0005/EUDOCK                   |
| <b>Certification</b>               | CE, RoHS                         | CE, RoHS                             | CE, KEMA, TÜV, RoHS    | CE, KEMA, TÜV, RoHS           | CE, KEMA, RoHS              | CE, KEMA, RoHS                    | -                             |
| <b>USB output</b>                  | -                                | 5V / 2.1A                            | -                      | -                             | 5V / 2.1A                   | 5V / 2.1A                         | -                             |
| <b>USB No.</b>                     | -                                | 2                                    | -                      | -                             | 2                           | 2                                 | -                             |
| <b>Socket type</b>                 | Type F                           | Type F                               | Type F                 | Type F                        | Type F                      | Type F                            | Type E/F                      |
| <b>Cable length</b>                | -                                | -                                    | 1.5m                   | 3.0m                          | 1.5m                        | 3.0m                              | -                             |
| <b>Cable thickness</b>             | -                                | -                                    | 1.5 mm <sup>2</sup>    | 1.5 mm <sup>2</sup>           | 1.5 mm <sup>2</sup>         | 1.5 mm <sup>2</sup>               | -                             |
| <b>Outlet No.</b>                  | 5                                | 4                                    | 5                      | 5                             | 4                           | 4                                 | -                             |
| <b>Rated AC</b>                    | 16A/230V~                        | 16A/230V~                            | 16A/230V~              | 16A/230V~                     | 16A/230V~                   | 16A/230V~                         | -                             |
| <b>Socket Colour</b>               | Kelly Green (PMS 356 C)          | Cobalt Blue (PMS 287 C)              | Boston Red (PMS 186 C) | Boston Red (PMS 186 C)        | Trolley Grey (Cool Gray 10) | Trolley Grey (Cool Gray 10)       | Wyoming White (Pantone white) |
| <b>Product EAN</b>                 | 8718444082156                    | 8718444082231                        | 8718444083160          | 8718444083184                 | 8718444083207               | 8718444083221                     | 8718444082491                 |
| <b>Packaging dimensions</b>        | 7.7 x 7.7 x 11.9 cm              | 7.7 x 7.7 x 11.9 cm                  | 7.7 x 7.7 x 23.4 cm    | 7.7 x 7.7 x 23.4 cm           | 7.7 x 7.7 x 23.4 cm         | 7.7 x 7.7 x 23.4 cm               | 7.4 x 4.0 x 12 cm             |
| <b>Product net. weight (grams)</b> | 227 grams                        | 240 grams                            | 449 grams              | 585 grams                     | 471 grams                   | 625 grams                         | 45 grams                      |
| <b>Carton Qty.</b>                 | 25 pcs                           | 25 pcs                               | 25 pcs                 | 25 pcs                        | 25 pcs                      | 25 pcs                            | 50 pcs                        |
| <b>Carton EAN</b>                  | 28718444082174                   | 28718444082242                       | 28718444083171         | 28718444083195                | 28718444083218              | 28718444083232                    | 28718444082501                |
| <b>Carton dimensions</b>           | 41 x 41 x 13.5 cm                | 41 x 41 x 13.5 cm                    | 41 x 41 x 25 cm        | 41 x 41 x 25 cm               | 41 x 41 x 25 cm             | 41 x 41 x 25 cm                   | 41 x 41 x 14 cm               |
| <b>Carton Volume</b>               | 0.023 m <sup>3</sup>             | 0.023 m <sup>3</sup>                 | 0.042 m <sup>3</sup>   | 0.042 m <sup>3</sup>          | 0.042 m <sup>3</sup>        | 0.042 m <sup>3</sup>              | 0.023 m <sup>3</sup>          |
| <b>Net weight</b>                  | 5.67 kgs                         | 6.00 kgs                             | 11.22 kgs              | 14.60 kgs                     | 11.70 kgs                   | 15.60 kgs                         | 2.25 kgs                      |
| <b>Gross weight</b>                | 6.08 kgs                         | 6.41 kgs                             | 11.90 kgs              | 15.30 kgs                     | 12.50 kgs                   | 16.30 kgs                         | 3.00 kgs                      |
| <b>FCL 20'</b>                     | 1200 cartons                     | 1200 cartons                         | 700 cartons            | 700 cartons                   | 700 cartons                 | 700 cartons                       | 1200 cartons                  |
| <b>FCL 40'</b>                     | 2700 cartons                     | 2700 cartons                         | 1305 cartons           | 1305 cartons                  | 1305 cartons                | 1305 cartons                      | 2700 cartons                  |
| <b>FCL 40' HC</b>                  | 3000 cartons                     | 3000 cartons                         | 1500 cartons           | 1500 cartons                  | 1500 cartons                | 1500 cartons                      | 3000 cartons                  |

<sup>1</sup> Please check model availability

<sup>2</sup> Only suitable for use with other PowerCube models, not for mounting into wall sockets

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



ReWireable + 3x Plugs + IEC Cable [DE]



ReWireable USB + 3x Plugs + IEC Cable [DE]



Power USB [EU]



Power USB Cable

|                             | ReWireable + 3x Plugs + IEC Cable [DE] | ReWireable USB + 3x Plugs + IEC Cable [DE] | Power USB [EU] <sup>1</sup>   | Power USB Cable                |
|-----------------------------|--|--|-------------------------------|--------------------------------|
| Article code                | 1801/DERW3P                            | 1811/DERU3P                                | 3500/DFPUPC                   | 9002/UC80CN                    |
| Certification               | Bin                                    | CE, Bin                                    | -                             | CE, RoHS                       |
| USB output                  | -                                      | 5V / 2.1A                                  | 5V / 1.0A                     | -                              |
| USB No.                     | -                                      | 2  | 1                             | 3                              |
| Socket type                 | Type F                                 | Type F                                     | Type E/F                      | micro USB, mini USB, lightning |
| Outlet No.                  | 5                                      | 4  | -                             | 3                              |
| Cable length                | -                                      | -  | -                             | 0.8m                           |
| Rated AC                    | 6A/250V~                               | 6A/250V~                                   | 110-230V~                     | 5-20V~                         |
| Socket Colour               | Orchid Purple                          | Orchid Purple                              | Wyoming White (Pantone white) | Wyoming White (Pantone white)  |
| Product EAN                 | 8718444083399                          | 8718444083412                              | 8718444082101                 | 8718444082798                  |
| Packaging dimensions        | 7.7 x 7.7 x 23.2 cm                    | 7.7 x 7.7 x 23.2 cm                        | 7.7 x 7.7 x 7.0 cm            | 7.6 x 7.6 x 1.9 cm             |
| Product net. weight (grams) | 519 grams                              | 543 grams                                  | 110 grams                     | 20 grams                       |
| Carton Qty.                 | 25 pcs                                 | 25 pcs                                     | 75 pcs                        | 25 pcs                         |
| Carton EAN                  | 28718444083409                         | 28718444083423                             | 28718444082112                | 28718444082808                 |
| Carton dimensions           | 41 x 41 x 25 cm                        | 41 x 41 x 25 cm                            | 41 x 41 x 25 cm               | 9 x 11 x 41 cm                 |
| Carton Volume               | 0.040 m <sup>3</sup>                   | 0.040 m <sup>3</sup>                       | 0.042 m <sup>3</sup>          | 0.004 m <sup>3</sup>           |
| Net weight                  | 12.98 kgs                              | 13.58 kgs                                  | 8.60 kgs                      | 0.5 kgs                        |
| Gross weight                | 13.70 kgs                              | 14.30 kgs                                  | 9.10 kgs                      | 0.75 kgs                       |
| FCL 20'                     | 700 cartons                            | 700 cartons                                | 700 cartons                   | 6000 cartons                   |
| FCL 40'                     | 1305 cartons                           | 1305 cartons                               | 1305 cartons                  | 12 000 cartons                 |
| FCL 40' HC                  | 1500 cartons                           | 1500 cartons                               | 1500 cartons                  | 14 000 cartons                 |

<sup>1</sup> Please check model availability

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



PowerCube Remote  
Extended + PowerRemote  
[DE]



PowerCube Remote  
Extended [DE]



PowerRemote

|                             | PowerCube Remote Extended<br>+ PowerRemote<br>[DE] | PowerCube Remote Extended<br>[DE] | PowerRemote          |
|-----------------------------|--|-----------------------------------|----------------------|
| Article code                | 1512/EUEXRM  | 1513/EUEXRM                       | 1500/REMOTE          |
| Certification               | CE, RoHS   | CE, RoHS                          | CE, RoHS             |
| Remote included             | Yes  | No                                | Yes                  |
| Socket type                 | Type F   | Type F                            | -                    |
| Cable length                | 1.5m   | 1.5m                              | -                    |
| Outlet No.                  | 4  | 4                                 | -                    |
| Rated AC                    | 16A/230V~  | 16A/230V~                         | -                    |
| Socket Colour               | Trolley Grey<br>(Cool Gray 10)                     | Trolley Grey<br>(Cool Gray 10)    | Queen's Orange       |
| Product EAN                 | 8718444083337                                      | 8718444083511                     | 8718444083252        |
| Packaging dimensions        | 7.6 x 7.6 x 25.3 cm                                | 7.6 x 7.6 x 23.2 cm               | 6.4 x 6.4 x 2.1 cm   |
| Product net. weight (grams) | 518 grams  | 450 grams                         | 68 grams             |
| Carton Qty.                 | 25 pcs   | 25 pcs                            | 25 pcs               |
| Carton EAN                  | 28718444083348                                     | 28718444083522                    | 28718444083263       |
| Carton dimensions           | 40 x 40 x 27 cm                                    | 40 x 40 x 25 cm                   | 8 x 8 x 54 cm        |
| Carton Volume               | 0.043 m <sup>3</sup>                               | 0.040 m <sup>3</sup>              | 0.003 m <sup>3</sup> |
| Net weight                  | 13.00 kgs  | 11.25 kgs                         | 1.70 kgs             |
| Gross weight                | 14.10 kgs  | 12.35 kgs                         | 1.78 kgs             |
| FCL 20'                     | 560 cartons  | 630 cartons                       | 8500 cartons         |
| FCL 40'                     | 1200 cartons                                       | 1350 cartons                      | 17 400 cartons       |
| FCL 40' HC                  | 1500 cartons                                       | 1500 cartons                      | 21 750 cartons       |

<sup>1</sup> Please check model availability

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



PowerExtension 3m [DE]



PowerExtension 5m [DE]



PowerBar [EU]



PowerBar USB [EU]



FSDU [EU]

|                                   | PowerExtension 3m [DE] | PowerExtension 5m [DE] | PowerBar [EU]          | PowerBar USB [EU]           | FSDU [EU] <sup>2</sup>          |
|-----------------------------------|------------------------|------------------------|------------------------|-----------------------------|---------------------------------|
| <b>Article code</b>               | 8001/EUPE3M            | 8002/EUPE5M            | 9101/PB4SEU            | 9102/PB2SEU                 | 0001/EUDISP                     |
| <b>Certification</b>              | CE, RoHS               | CE, RoHS               | CE, RoHS               | CE, RoHS                    | -                               |
| <b>USB output</b>                 | -                      | -                      | -                      | 5V / 2.1A                   | -                               |
| <b>USB No.</b>                    | -                      | -                      | -                      | 2                           | -                               |
| <b>Socket type</b>                | Type F                 | Type F                 | Type C                 | Type C                      | -                               |
| <b>Cable length</b>               | 3.0m                   | 5.0m                   | 1.5m                   | 1.5m                        | -                               |
| <b>Outlet No.</b>                 | 1                      | 1                      | 4                      | 2                           | -                               |
| <b>Rated AC</b>                   | 16A/230V~              | 16A/230V~              | 2.5A/230V~             | 2.5A/230V~                  | -                               |
| <b>Socket Colour</b>              | Mystic Magenta         | Mystic Magenta         | Boston Red (PMS 186 C) | Trolley Grey (Cool Gray 10) | Brownie Brown (PMS 469)         |
| <b>Product EAN</b>                | 8718444082699          | 8718444082712          | 8718444082811          | 8718444082835               | 8718444082149                   |
| <b>Packaging dimensions</b>       | 7.6 x 7.6 x 24 cm      | 7.6 x 7.6 x 24 cm      | 22.4 x 7.7 x 3.75 cm   | 22.4 x 7.7 x 3.75 cm        | 41 x 25 x 150 cm <sup>(2)</sup> |
| <b>Product net weight (grams)</b> | 442 grams              | 631 grams              | 230 grams              | 240 grams                   | 3500 grams                      |
| <b>Carton Qty.</b>                | 25 pcs                 | 25 pcs                 | 25 pcs                 | 25 pcs                      | 1 pc                            |
| <b>Carton EAN</b>                 | 28718444082709         | 28718444082723         | 28718444082822         | 28718444082846              | -                               |
| <b>Carton dimensions</b>          | 41 x 41 x 25 cm        | 41 x 41 x 25 cm        | 40 x 21 x 23.5 cm      | 40 x 21 x 23.5 cm           | 115 x 75 x 7 cm <sup>(2)</sup>  |
| <b>Carton Volume</b>              | 0.042 m <sup>3</sup>   | 0.042 m <sup>3</sup>   | 0.020 m <sup>3</sup>   | 0.020 m <sup>3</sup>        | 0.060 m <sup>3</sup>            |
| <b>Net weight</b>                 | 11.05 kgs              | 15.77 kgs              | 5.75 kgs               | 6.00 kgs                    | 3.50 kgs                        |
| <b>Gross weight</b>               | 11.55 kgs              | 16.17 kgs              | 6.10 kgs               | 6.40 kgs                    | 4.00 kgs                        |
| <b>FCL 20'</b>                    | 700 cartons            | 700 cartons            | 1200 cartons           | 1200 cartons                | 500 cartons                     |
| <b>FCL 40'</b>                    | 1305 cartons           | 1305 cartons           | 2600 cartons           | 2600 cartons                | 900 cartons                     |
| <b>FCL 40' HC</b>                 | 1500 cartons           | 1500 cartons           | 2900 cartons           | 2900 cartons                | 1000 cartons                    |

<sup>1</sup> Please check model availability

<sup>2</sup> FSDU comes flat packed, once folded-out it can hold up to 100 products (mixed)

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U