



## Synergy 21 LED Flex Strip 120 NW DC12V 48W IP20



kwh/1000h:	48,00
Lumens:	3600
Watt:	48,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip neutral white, PCB white, indoor IP20  
DC12V, max. 4A, 48W  $\pm$  10%,  
600Leds, 120°, 3528SMD  
Length: 5000\*8\*3mm,  
Lumen: 3600  
4500K  $\pm$ 250

can be shortened: all 3 LEDs  
open cable end  
Adhesive tape on the back to aid installation  
Strip can be shortened at marking points with sharp scissors.  
!Attention! Strip must be checked for functionality beforehand.  
Only split the strip when there is no power.

Energy efficiency class: A+  
kWh/1000h: 48

Please note that LED strips must also be cooled.  
Make sure that the LED strip does not exceed the operating temperature of 40°C, otherwise the service life cannot be guaranteed.

### Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	4
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	8
LED Strip Höhe:	3
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	4500
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4500
Lichtfarbe Name:	neutralweiß
Lumen:	3600
Schutzklasse:	IP20
Volt:	12
Weight:	0.3 Kg
Warranty:	24.00 Months

## Additional Images



## Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
78195	Synergy 21 Power supply unit - 12V 60W
79612	Synergy 21 LED power supply - 12V 60W
139522	Mean Well power supply - 12V 120W IP67