Quick Installation Guide



ALL-SG8428V2PM

Default Values:

IP-Address: 192.168.2.1 Username & Password: admin

Assign your PC an IP address by subnet 192.168.2.**X** (**X** = **2-254**) with subnet mask 255.225.225.0

Start your browser and type the address 192.168.2.1 into the browser address field, confirm the IP address with enter.

SAVE CONFIGURATION – ATTENTION PLEASE NOTE!

You need to save you configuration into flash memory. Otherwise you configuration will be lost after the next reboot.

How to save your configuration:

MANAGEMENT -> CONFIGURATION -> SAVE CONFIGURATION and confirm with **APPLY**.

	Save	Logout	Reboot	Debug
Management >>> Configuration >>> Save Configuration				
* Status				
System Information Logging Message • • Port • Link Aggregation MAC Address Table • • Network • • Port • • Port • • VLAN • • VLAN • • MAC Address Table • • VLAN • • VLAN • • Mac Address Table • • Spanning Tree • • Discovery • • Multcast • • Security • • CodS • • Diagnostics • • Firmware • • Configuration • • Firmware • • Configuration •				
Style Configuration SNMP				

ALLNET GmbH Computersysteme declares that the device **ALL-SG8428v2PM** is in compliance with the essential requirements and other relevant provisions of Directive 2014/30/EU. The Declaration of conformity can be found under this link: <u>http://ce.allnet.de</u>

ALLNET GmbH Computersysteme Maistrasse 2 82110 Germering

Tel.: +49 (0)89 894 222 - 22 Fax: +49 (0)89 894 222 - 33 Email: <u>info@allnet.de</u>

Œ

CE Marking is the symbol as shown on the top of this page. The letters "CE" are the abbreviation of French phrase "Conformity European" which literally means "European Conformity". The term initially used was "EC Mark" and it was officially replaced by "CE Marking" in the Directive 93/68/EEC in 1993. "CE Marking" is now used in all EU official documents.



This symbol on the product or on its packaging indicates that this product must not be disposed of with your other household waste. Instead, it is your responsibility to dispose of your waste equipment by handing it over it a designated collection point for the recycling of waste electrical and electronic equipment. The separate collection and recycling of your waste equipment at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment. For more information abut where you can drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

This recycle logo Indicates that this product is capable of being recycled, not that the product has been recycled or will be accepted in all recycling collection systems.





The RoHS directive aims to restrict certain dangerous substances commonly used in electronic and electronic equipment. This <u>RoHS compliant</u> symbol indicate the component is <u>tested</u> for the presence of Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent chromium (Hex-Cr), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE). For Cadmium and Hexavalent chromium, there must be less than 0.01% of the substance by weight at raw homogeneous materials level. For Lead, PBB, and PBDE, there must be no more than 0.1% of the material, when calculated by weight at raw homogeneous materials. Any RoHS compliant component must have 100 ppm or less of mercury and the mercury must not have been intentionally added to the component.



For your safety, be sure to read and follow all warning notices and instructions.

- Do not open the device. Opening or removing the device cover can expose you to dangerous high voltage points or other risks. Only qualified service personnel can service the device. Please contact your vendor for further information.
- Do not use your device during a thunderstorm. There may be a risk of electric shock brought about by lightning.
- Do not expose your device to dust or corrosive liquids.
- Do not use this product near water sources.
- Make sure to connect the cables to the correct ports.
- Do not obstruct the ventilation slots on the device.