




Synergy 21 LED light panel 300*1200 RGB-WW (RGB-CCT) 24V V3



kwh/1000h:	44,00
Lumens:	2400
Watt:	44,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Ultra Slim LED Panel Light, model RGB-WW

Intended use: Installation in the Odenwald ceiling

Other types of installation are also possible with optional accessories
(surface-mounted, flush-mounted, suspended, wall-mounted and recessed, etc.)

White and RGB can be controlled separately

(white individually, RGB individually, or both together = RGB-WW)

Frame colour: silver

Power consumption: 48W white, 36W RGB

Number of lumens: 3250lm white

White range (CCT): 2700-6500K, CRI>80, 120°

RGB: 20W

Protection class: IP20

Operating temperature: -10° to +45° (Amb.)

Power supply: 24V DC

Size (external dimensions): 295mm x 1195mm x 11mm

Weight: 3500g

Warranty: 3 years




Energy efficiency class: A

kWh/1000h: 48.4

Attributes

Attribute	Value
LED - Gehäusefarbe:	silber
Lichtfarbe:	RGB-CCT
Weight:	3.5 Kg
Warranty:	60.00 Months

Additional Images



Accessories

Part No.	Name
135731	Synergy 21 LED Controller 3653 LED RGB-WW (RGB-CCT) Master Set
147981	Synergy 21 LED remote RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
148006	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
148143	ynergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V Strip/Panel 5in1*Milight/Miboxer*
181054	Synergy 21 LED remote WLAN controller *Milight/Miboxer*
148507	Synergy 21 LED remote WLAN controller smart light *Milight/Miboxer*
149147	Synergy 21 LED Controller RGB-WW (RGB-CCT) DC12/24V *Milight/Miboxer*
126355	Mean Well Power Supply - 24V 60W IP67
150052	Synergy 21 LED light panel RGB-W zub mounting kit 2 rope
150054	Synergy 21 LED light panel RGB-W zub Montage Kit 4 Clip
134899	Synergy 21 Netzteil - Einschaltstrombegrenzer OSRAM