


Synergy 21 LED Flex Strip 60 WW DC12V 72W IP62



kwh/1000h:	72,00
Lumens:	4500
Watt:	72,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip warm white,
DC12V, max. 6A, 72W,
300Leds, 120°, 5050SMD
Length: 5000*12.9*5mm,
Lumen: 4400
3000K ±250
with adhesive tape
coolable all 3 LED
open cable end
Strip can be cut at marking marks with sharp scissors
. !Attention! Strip must be checked for functionality beforehand.
Only split strip when no power is present.

Silicone cover from above, IP62
Suitable down to -20°C!

Energy efficiency class: A
kWh/1000h: 72

Please note that LED strips must also be cooled.
Make sure that the LED strip does not exceed the operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	6
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	12.90
LED Strip Höhe:	5
LED Strip Klebeband:	ja
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	3000
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lichtfarbe Name:	warmweiß
Lumen:	4400
Schutzklasse:	IP62
Volt:	12
Weight:	0.2 Kg
Warranty:	60.00 Months

Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack

Part No.	Name
139522	Mean Well power supply - 12V 120W IP67