


## Synergy 21 LED object/stadium HC spotlight 400W IP67 cw -V



kwh/1000h:	400,00
Lumens:	56000
Watt:	400,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Operating voltage: AC 85-265V, 50/60Hz  
 LED: 4 modules of 168 LEDs, CREE 3030 140lm/Watt  
 Power supply unit: 2\*MeanWell  
 Beam angle: 30°, module can be swivelled  
 Lumen: 4\*14000lm = 56000lm  
 Efficiency: 140Lm/Watt  
 Light colour: 5700K ±150  
 CRI: Ra>70  
 Dimmable: no  
 Housing: Aluminium  
 Operating temperature: -40°C to +65°C  
 Protection class: IP67 / IK08  
 Dimensions: 396\*92\*458mm

Other beam angles on request: 10°/30°/60°/90°/120°  
 Other light colours on request: 4000K/5000K/5700K/6500/

Energy efficiency class: A++  
 kWh/1000h: 400

The connection of electrical components and systems may only be carried out by only be carried out by qualified specialists!

## Attributes

Attribute	Value
Abstrahlwinkel:	30
CRI:	>80
Dimmbar:	nein
Grösse:	396*92*458
LED - Gehäusefarbe:	schwarz
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	kaltweiß
Lichtfarbe in Kelvin:	5700
Lumen:	56000
Schutzklasse:	IP67
Volt:	230
Weight:	14.3 Kg
Warranty:	24.00 Months

## Additional Images



## Accessories

Part No.	Name
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
147265	Netzkabel 230V Schutzkontakt CEE7(Stecker)->Open End mit Adernendhülsen, 1,8m,Black