
Part No.: 140928 Vendor Part No.: S21-LED-F00158

## Synergy 21 LED Flex Strip 60 NW DC48V 210W IP20 ULS 30m





| kwh/1000h:            | 231,00     |
|-----------------------|------------|
| Lumens:               | 30300      |
| Watt:                 | 210,0      |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles:     | 50000      |
| Opt. Ambient          | 25 °C      |
| Temperature.:         |            |



Synergy 21 LED Flex Strip UL Series ULS=Ultra Long Series

Voltage: 48V, max4,375A

Watt: 210W±10%

Light colour: neutral white, 4250K±250k

Brightness: 30300lm Beam angle: 120° Protection class: IP20

Number of LEDs: 1800\*2835SMD Dimensions: 30000\*10\*3 mm

PCB colour: white, open cable end (360±5mm)

Operating temperature: -25°C to +40°C

Weight: 0.500kg

Can be shortened every 15 LED 25cm Adhesive tape: yes 3M on the back

Energy efficiency class: A++

kWh/1000h: 231

Strip can be shortened at the cut marks with sharp scissors. !Attention! Strip must be checked for functionality beforehand. Only split the strip when no current is present.

Our 3M adhesive tape adheres well, but should only be used as a mounting aid.



Part No.: 140928 Vendor Part No.: S21-LED-F00158

There are a variety of mounting options, such as clips, permanently elastic mounting adhesive, cable ties, etc.

Please note that LED strips must also be cooled.

Make sure that the LED strip does not exceed a working temperature of 40°C, otherwise its service life cannot be guaranteed.

No guarantee can be given for overheated LED strips

## **Attributes**


| Attribute             | Value                 |
|-----------------------|-----------------------|
| Abstrahlwinkel:       | 120                   |
| Ampere:               | 8.70                  |
| CC oder CV:           | CV                    |
| CRI:                  | >80                   |
| Dimmbar:              | abhängig vom Netzteil |
| Länge:                | 30                    |
| LED Strip Klebeband:  | ja                    |
| LED Strip Breite:     | 10                    |
| LED Strip Höhe:       | 3                     |
| LED Strip Klebeband:  | ja                    |
| LED Strip kürzbar:    | 250                   |
| LED Strip Länge:      | 30000                 |
| Lichtfabe in Kelvin:  | 4250                  |
| Lichtfarbe:           | neutralweiß           |
| Lichtfarbe in Kelvin: | 4250                  |
| Lichtfarbe Name:      | neutralweiß           |
| Lumen:                | 30300                 |
| Schutzklasse:         | IP20                  |
| Volt:                 | 48                    |
| Weight:               | 0.6 Kg                |
| Warranty:             | 24.00 Months          |


Part No.: 140928 Vendor Part No.: \$21-LED-F00158

## **Additional Images**









## **Accessories**

| Part No. | Name  |
|----------|---|
| 140930   | Mean Well power supply - 48V 240W dimmable IP65 |
| 159302   | Wago Serie 221 - 2*6mm (50 Stück)               |