


Synergy 21 LED light panel round 12W 24V dual white (CCT) V3 black



kwh/1000h:	13,20
Lumens:	850
Watt:	12,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Ultra Slim LED Panel Light V3
Exclusively for ceiling/wall installation

Power consumption : 12Watt
Frame colour: black
Number of LEDs: 56LEDs total, SMD2835
Number of lumens: 850lm
Light colour: 2600k-6000k \pm 150, RA>80
Beam angle 110°-120°
Protection class: IP41
Operating temperature: -20° to +40°
Power supply: 24V / 12Watt, without power supply unit
Outer diameter: 165mm
Installation diameter: 145mm
Height: 13mm
Weight: 240g
We recommend connecting the open cable ends with Wago terminals (e.g. article 80945).

Energy efficiency class: A
kWh/1000h: 13.2

Attributes

Attribute	Value
Abstrahlwinkel:	110-120
Ampere:	24
CC oder CV:	CV
CRI:	>80
Dimmbar:	Ja, abhängig vom Netzteil
Grösse:	165*13
LED - Gehäusefarbe:	schwarz
LED - Gehäusematerial:	Aluminum
Lichtfarbe:	Dual/CCT
Lichtfarbe in Kelvin:	2600 ~6000
Lumen:	850
Schutzklasse:	IP41
Volt:	24
Weight:	0.5 Kg
Warranty:	24.00 Months

Additional Images



Accessories

Part No.	Name
151666	Synergy 21 LED Controller EOS 05 5-channel controller RGB-WW (RGB-CCT)
116369	Synergy 21 LED Controller EOS 05 Wanddimmer dual weiß (CCT)
126643	Synergy 21 LED Controller EOS 05 Handsender dual 2 dual weiß (CCT)
154885	Synergy 21 LED controller dual white (CCT) DC12/24V 4 zones *Milight/Miboxer*
158722	Synergy 21 LED remote dual white (CCT) 4 zones *Milight/Miboxer*
159413	Synergy 21 LED remote smart panel dual white (CCT) 4-zones *Milight/Miboxer*
159525	Synergy 21 LED remote dual white (CCT) 4 zones *Milight/Miboxer*
135731	Synergy 21 LED Controller 3653 LED RGB-WW (RGB-CCT) Master Set
148998	Synergy 21 by Casambi CBU-ASD DALI 2CH TW dual white (CCT)
157736	Synergy 21 LED Controller EOS 07 DALI DT8 CCT 4 group