

Synergy 21 LED round light transparent 12W RL nw



kwh/1000h:	12,00
Lumens:	1200
Watt:	12,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Synergy 21 LED round light transparent
Light-conducting lampshade: round (RL)
Connection: 200-240 V/AC
Wattage: 12 watts
Lumen: 1200 lm
CRI: >80
Light colour: neutral white
Kelvin: 4000 ±200K
Operating temperature: -20° +45° C
Beam angle: 360°
Size: Ø280mm
Height: 42mm
Weight: 1050 g
Protection class: IP20 / IK05

Mounting:
Clamp block in the lamp
2 mounting screws included.

Energy efficiency class: A++
kWh/1000h: 12


Image similar

Attributes

Attribute	Value
Abstrahlwinkel:	360
Betriebstemperatur:	-20 bis +45
CRI:	>80
Dimmbar:	nein
Grösse:	Ø280*42
LED - Gehäusefarbe:	transparent
LED - Gehäusematerial:	Kunststoff
Lichtfarbe:	neutralweiß
Lichtfarbe in Kelvin:	4000
Lumen:	1200
Schutzklasse:	IP20
Volt:	230
Weight:	1.05 Kg

Additional Images

Dimension



	Dimension D (mm)	Dimension H (mm)	Dimension M (mm)
12W	280	42	163
18W	360	46	212
24W	420	46	212



