



Synergy 21 LED Flex Strip 60 blue DC12V 24W IP68

SYNERGY 21



| | |
|----------------------------|------------|
| kwh/1000h: | 24,00 |
| Lumens: | 465 |
| Watt: | 24,0 |
| Nominal Service Life: | 35000 Std. |
| Switching Cycles: | 50000 |
| Opt. Ambient Temperature.: | 25 °C |



Synergy 21 LED Flex Strip blue DC12V 24W IP68

Voltage: 12V
Watt: 24W
Light colour: blue
Protection class: IP68
Beam angle: 120°
Number of LEDs: 300*3528
Dimensions: 5000*11*5 mm
Weight: 0.090 kg
Can be shortened every 3 LEDs

Strip can be shortened at markers with sharp scissors.
!Attention! Strip must first be checked for functionality.
Only cut the strip when there is no current.

Please note that LED strips must also be cooled.
Ensure that the LED strip does not exceed the working temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

| Attribute | Value |
|----------------------|-----------------------|
| Abstrahlwinkel: | 120 |
| Ampere: | 2 |
| CC oder CV: | CV |
| Dimmbar: | abhängig vom Netzteil |
| Länge: | 5 |
| LED Strip Klebeband: | nein |
| LED Strip Breite: | 11 |
| LED Strip Höhe: | 5 |
| LED Strip Klebeband: | nein |
| LED Strip kürzbar: | 50 |
| LED Strip Länge: | 5000 |
| Lichtfabe in nm: | 465 |
| Lichtfarbe: | blau |
| Lichtfarbe 3: | 465 |
| Lichtfarbe in nm: | 465 |
| Lichtfarbe Name: | blau |
| Schutzklasse: | IP68 |
| Volt: | 12 |
| Weight: | 0.3 Kg |
| Warranty: | 60.00 Months |

Additional Images



SYNERGY 21

Accessories

| Part No. | Name |
|----------|---|
| 148726 | Synergy 21 - Waterproof connector 1:1 |
| 148727 | Synergy 21 - Waterproof connector 1:2 |
| 148730 | Synergy 21 - Waterproof connector box 3 ports |
| 148729 | Synergy 21 - Waterproof connector box 3 ports transparent |
| 148728 | Synergy 21 - Waterproof connector box 4 ports |
| 139522 | Mean Well power supply - 12V 120W IP67 |