





## ALLNET ALL-WA0100N

## 150M Wireless b/g/n NANO USB adapter

- Miniature design: 0.73x0.59x0.28in.(18.6x15x7.1mm)
- Wireless N speed up to 150Mbps
- Supports WMM (Wi-Fi Multimedia) Standard for better streaming of real-time data such as Video, Music, Video Chat Supports software-based WPS
- Supports Soft AP function for Wireless Internet Sharing
- Advanced Security: Supports 64/128 WEP, WPA/WPA2, WPA-PSK/WPA2-PSK (TKIP/AES), supports IEEE 802.1X
- Supports Windows XP 32/64bit, Vista 32/64bit, Windows 7 32/64bit, Windows 8 32/64bit
- Supports ad-hoc and infrastructure modes
- Seamlessly compatible with 802.11b/g/n products

Art.-Nr. 119387





Wireless-N USB 2.0 Adapter ALL-WA0100N allows you to connect your laptop or desktop to any Wireless-N networks in your home or office., gives you access to all the high-speed features of Wireless-N networks on older and newer computers.

At 5 times faster than traditional Wireless-G (802.11b) networks, ALLNET Wireless-N USB 2.0 Adapter ALL-WA0100N allow for high speed data transfers, online gaming, and lightning fast downloads. Simple and easy setup, you'll be surfing internet, download movies, and e-mail in no time.

Item	Specification
HARDWARE FEATURES	
Interface:	USB 2.0
LED:	Status
Dimensions:	0.73x0.59x0.28in.(18.6x15x7.1mm)
Weight:	0.07 ounces / 2.1 grams (Without packaging)
Antenna:	Internal antenna
WIRELESS FEATURES	
Wireless Standards:	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Frequency:	2.400-2.4835GHz
Signal Rate:	11b: Up to 11Mbps (dynamic) 11g: Up to 54Mbps (dynamic) 11n: Up to 150Mbps (dynamic)
Reception Sensitivity:	130M: -68dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER 6M: -88dBm@10% PER 1M: -90dBm@8% PER
Transmit Power:	<20dBm
Wireless Modes:	Ad-Hoc / Infrastructure mode:
Wireless Security:	Supports 64/128 WEP, WPA/WPA2, WPA-PSK/WPA2-PSK (TKIP/AES), supports IEEE 802.1X
Modulation Technology:	DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM
OTHERS	
Package Contents:	150Mbps wireless N Nano USB adapter HT-W601 Resource CD
System Requirements:	Windows 8(32/64bits), Windows 7(32/64bits), Windows Vista(32/64bits), Windows XP(32/64bits)
Environment:	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing