

Synergy 21 LED track series for track VLE series 48W, 60°, nw, CRI>90






Abbildung zeigt Model mit 120° Abstrahlwinkel



kwh/1000h:	48,00
Lumens:	7200
Watt:	48,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Model: VLE in black
 ERCO compatible, 3-phase track
 Housing: Injection moulded aluminium in black
 Watt: 48 watts, adjustable: 34/40/44 watts
 PS: Tridonic, 5-year guarantee°
 Beam angle: 60° (DS25°/30°/90°/120° on request)
 Lumen: 7200LM
 CRI: >90
 Light colour: neutral white
 Kelvin: 4000K
 Operating voltage: AC 220-240V /50-60HZ
 Size: 1150*65mm
 IES files available on request

Energy efficiency class: A++
 kWh/1000h: 48

Attributes

Attribute	Value
Abstrahlwinkel:	60

Attribute	Value
CRI:	90
Dimmbar:	nein
Grösse:	1150*65
Lichtfarbe:	neutralweiss
Lichtfarbe in Kelvin:	4000
Lumen:	7200
Schutzklasse:	IP20
Sockel:	3Phasen
Volt:	230
Weight:	1.5 Kg
Warranty:	60.00 Months

Additional Images



Abbildung zeigt Model mit 120° Abstrahlwinkel



Abbildung zeigt Model mit 60° Abstrahlwinkel



Abbildung zeigt Model mit 60° Abstrahlwinkel

Accessories

Part No.	Name
----------	------
