



Synergy 21 LED track series for track-plate standard DA nw



kwh/1000h:	79,20
Lumens:	9300
Watt:	72,0
Nominal Service Life:	40000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C





LED module for Synergy21 LED RailLine LED track system Powergear
 Size: 580x190x120mm (LxWxH)
 Colour: black RAL9006
 Lumen: 9300lm @72W
 Light colour: 4250K ±250, RA>83
 Beam angle: 25°
 Watt: 72W can adjust to 66W/62W/58W/54W/50W/46W/42W
 Cabling: Track adapter, ERCO compatible
 Protection class: IP20 / IK06

5-year guarantee, ENEC and IK06 certified



Energy efficiency class: A++
 kWh/1000h: 79.2

Additional Images



PI	Po	Irated	1	2	3
72W	60W	1800mA	—	—	—
66W	56W	1700mA	ON	—	—
62W	53W	1600mA	—	ON	—
58W	50W	1500mA	ON	ON	—
54W	46W	1400mA	—	—	ON
50W	43W	1300mA	ON	—	ON
46W	40W	1200mA	—	ON	ON
42W	36W	1100mA	ON	ON	ON

6xDA25°(DA)



DA 25°
DA 25°
DA 25°



Accessories

Part No.	Name
143499	Synergy 21 by EUTRAC 3~AUFBAUSCHIENEN-Set, Weiss, 6 meter