

## Type F: Product specification sheet Germany



Original + rib [DE]<sup>2</sup>



Original USB + rib [DE]<sup>2</sup>




Extended [DE]



Extended USB [DE]



Docks 3pcs [EU]



	Original + rib [DE] <sup>2</sup>	Original USB + rib [DE] <sup>2</sup>	Extended [DE]	Extended 3m [DE] <sup>1</sup>	Extended USB [DE]	Extended USB 3m [DE] <sup>1</sup>	Docks 3pcs [EU]
<b>Article code</b>	1103/DEORPC	1203/DEOUPC	1306/DEEXPC	1307/DEEXPC	1406/DEEUPC	1407/DEEUPC	0005/EUDOCKER
<b>Certification</b>	CE, RoHS	CE, RoHS	CE, KEMA, TÜV, RoHS	CE, KEMA, TÜV, RoHS	CE, KEMA, RoHS	CE, KEMA, RoHS	-
<b>USB output</b>	-	5V / 2.1A	-	-	5V / 2.1A	5V / 2.1A	-
<b>USB No.</b>	-	2	-	-	2	2	-
<b>Socket type</b>	Type F	Type F	Type F	Type F	Type F	Type F	Type E/F
<b>Cable length</b>	-	-	1.5m	3.0m	1.5m	3.0m	-
<b>Cable thickness</b>	-	-	1.5 mm <sup>2</sup>	1.5 mm <sup>2</sup>	1.5 mm <sup>2</sup>	1.5 mm <sup>2</sup>	-
<b>Outlet No.</b>	5	4	5	5	4	4	-
<b>Rated AC</b>	16A/230V~	16A/230V~	16A/230V~	16A/230V~	16A/230V~	16A/230V~	-
<b>Socket Colour</b>	Kelly Green (PMS 356 C)	Cobalt Blue (PMS 287 C)	Boston Red (PMS 186 C)	Boston Red (PMS 186 C)	Trolley Grey (Cool Gray 10)	Trolley Grey (Cool Gray 10)	Wyoming White (Pantone white)
<b>Product EAN</b>	8718444082156	8718444082231	8718444083160	8718444083184	8718444083207	8718444083221	8718444082491
<b>Packaging dimensions</b>	7.7 x 7.7 x 11.9 cm	7.7 x 7.7 x 11.9 cm	7.7 x 7.7 x 23.4 cm	7.7 x 7.7 x 23.4 cm	7.7 x 7.7 x 23.4 cm	7.7 x 7.7 x 23.4 cm	7.4 x 4.0 x 12 cm
<b>Product net. weight (grams)</b>	227 grams	240 grams	449 grams	585 grams	471 grams	625 grams	45 grams
<b>Carton Qty.</b>	25 pcs	25 pcs	25 pcs	25 pcs	25 pcs	25 pcs	50 pcs
<b>Carton EAN</b>	28718444082174	28718444082242	28718444083171	28718444083195	28718444083218	28718444083232	28718444082501
<b>Carton dimensions</b>	41 x 41 x 13.5 cm	41 x 41 x 13.5 cm	41 x 41 x 25 cm	41 x 41 x 25 cm	41 x 41 x 25 cm	41 x 41 x 25 cm	41 x 41 x 14 cm
<b>Carton Volume</b>	0.023 m <sup>3</sup>	0.023 m <sup>3</sup>	0.042 m <sup>3</sup>	0.042 m <sup>3</sup>	0.042 m <sup>3</sup>	0.042 m <sup>3</sup>	0.023 m <sup>3</sup>
<b>Net weight</b>	5.67 kgs	6.00 kgs	11.22 kgs	14.60 kgs	11.70 kgs	15.60 kgs	2.25 kgs
<b>Gross weight</b>	6.08 kgs	6.41 kgs	11.90 kgs	15.30 kgs	12.50 kgs	16.30 kgs	3.00 kgs
<b>FCL 20'</b>	1200 cartons	1200 cartons	700 cartons	700 cartons	700 cartons	700 cartons	1200 cartons
<b>FCL 40'</b>	2700 cartons	2700 cartons	1305 cartons	1305 cartons	1305 cartons	1305 cartons	2700 cartons
<b>FCL 40' HC</b>	3000 cartons	3000 cartons	1500 cartons	1500 cartons	1500 cartons	1500 cartons	3000 cartons

<sup>1</sup> Please check model availability

<sup>2</sup> Only suitable for use with other PowerCube models, not for mounting into wall sockets

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



ReWireable + 3x Plugs + IEC Cable [DE]



ReWireable USB + 3x Plugs + IEC Cable [DE]



Power USB [EU]



Power USB Cable

	ReWireable + 3x Plugs + IEC Cable [DE]	ReWireable USB + 3x Plugs + IEC Cable [DE]	Power USB [EU] <sup>1</sup>	Power USB Cable
Article code	1801/DERW3P	1811/DERU3P	3500/DFPUPC	9002/UC80CN
Certification	Bin	CE, Bin	-	CE, RoHS
USB output	-	5V / 2.1A	5V / 1.0A	-
USB No.	-	2	1	3
Socket type	Type F	Type F	Type E/F	micro USB, mini USB, lightning
Outlet No.	5	4	-	3
Cable length	-	-	-	0.8m
Rated AC	6A/250V~	6A/250V~	110-230V~	5-20V~
Socket Colour	Orchid Purple	Orchid Purple	Wyoming White (Pantone white)	Wyoming White (Pantone white)
Product EAN	8718444083399	8718444083412	8718444082101	8718444082798
Packaging dimensions	7.7 x 7.7 x 23.2 cm	7.7 x 7.7 x 23.2 cm	7.7 x 7.7 x 7.0 cm	7.6 x 7.6 x 1.9 cm
Product net. weight (grams)	519 grams	543 grams	110 grams	20 grams
Carton Qty.	25 pcs	25 pcs	75 pcs	25 pcs
Carton EAN	28718444083409	28718444083423	28718444082112	28718444082808
Carton dimensions	41 x 41 x 25 cm	41 x 41 x 25 cm	41 x 41 x 25 cm	9 x 11 x 41 cm
Carton Volume	0.040 m <sup>3</sup>	0.040 m <sup>3</sup>	0.042 m <sup>3</sup>	0.004 m <sup>3</sup>
Net weight	12.98 kgs	13.58 kgs	8.60 kgs	0.5 kgs
Gross weight	13.70 kgs	14.30 kgs	9.10 kgs	0.75 kgs
FCL 20'	700 cartons	700 cartons	700 cartons	6000 cartons
FCL 40'	1305 cartons	1305 cartons	1305 cartons	12 000 cartons
FCL 40' HC	1500 cartons	1500 cartons	1500 cartons	14 000 cartons

<sup>1</sup> Please check model availability

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



PowerCube Remote  
Extended + PowerRemote  
[DE]



PowerCube Remote  
Extended [DE]



PowerRemote

	PowerCube Remote Extended + PowerRemote [DE]	PowerCube Remote Extended [DE]	PowerRemote
Article code	1512/EUEXRM	1513/EUEXRM	1500/REMOTE
Certification	CE, RoHS	CE, RoHS	CE, RoHS
Remote included	Yes	No	Yes
Socket type	Type F	Type F	-
Cable length	1.5m	1.5m	-
Outlet No.	4	4	-
Rated AC	16A/230V~	16A/230V~	-
Socket Colour	Trolley Grey (Cool Gray 10)	Trolley Grey (Cool Gray 10)	Queen's Orange
Product EAN	8718444083337	8718444083511	8718444083252
Packaging dimensions	7.6 x 7.6 x 25.3 cm	7.6 x 7.6 x 23.2 cm	6.4 x 6.4 x 2.1 cm
Product net. weight (grams)	518 grams	450 grams	68 grams
Carton Qty.	25 pcs	25 pcs	25 pcs
Carton EAN	28718444083348	28718444083522	28718444083263
Carton dimensions	40 x 40 x 27 cm	40 x 40 x 25 cm	8 x 8 x 54 cm
Carton Volume	0.043 m <sup>3</sup>	0.040 m <sup>3</sup>	0.003 m <sup>3</sup>
Net weight	13.00 kgs	11.25 kgs	1.70 kgs
Gross weight	14.10 kgs	12.35 kgs	1.78 kgs
FCL 20'	560 cartons	630 cartons	8500 cartons
FCL 40'	1200 cartons	1350 cartons	17 400 cartons
FCL 40' HC	1500 cartons	1500 cartons	21 750 cartons

<sup>1</sup> Please check model availability

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U

## Type F: Product specification sheet Germany



PowerExtension 3m [DE]



PowerExtension 5m [DE]



PowerBar [EU]



PowerBar USB [EU]



FSDU [EU]

	PowerExtension 3m [DE]	PowerExtension 5m [DE]	PowerBar [EU]	PowerBar USB [EU]	FSDU [EU] <sup>2</sup>
<b>Article code</b>	8001/EUPE3M	8002/EUPE5M	9101/PB4SEU	9102/PB2SEU	0001/EUDISP
<b>Certification</b>	CE, RoHS	CE, RoHS	CE, RoHS	CE, RoHS	-
<b>USB output</b>	-	-	-	5V / 2.1A	-
<b>USB No.</b>	-	-	-	2	-
<b>Socket type</b>	Type F	Type F	Type C	Type C	-
<b>Cable length</b>	3.0m	5.0m	1.5m	1.5m	-
<b>Outlet No.</b>	1	1	4	2	-
<b>Rated AC</b>	16A/230V~	16A/230V~	2.5A/230V~	2.5A/230V~	-
<b>Socket Colour</b>	Mystic Magenta	Mystic Magenta	Boston Red (PMS 186 C)	Trolley Grey (Cool Gray 10)	Brownie Brown (PMS 469)
<b>Product EAN</b>	8718444082699	8718444082712	8718444082811	8718444082835	8718444082149
<b>Packaging dimensions</b>	7.6 x 7.6 x 24 cm	7.6 x 7.6 x 24 cm	22.4 x 7.7 x 3.75 cm	22.4 x 7.7 x 3.75 cm	41 x 25 x 150 cm <sup>(2)</sup>
<b>Product net. weight (grams)</b>	442 grams	631 grams	230 grams	240 grams	3500 grams
<b>Carton Qty.</b>	25 pcs	25 pcs	25 pcs	25 pcs	1 pc
<b>Carton EAN</b>	28718444082709	28718444082723	28718444082822	28718444082846	-
<b>Carton dimensions</b>	41 x 41 x 25 cm	41 x 41 x 25 cm	40 x 21 x 23.5 cm	40 x 21 x 23.5 cm	115 x 75 x 7 cm <sup>(2)</sup>
<b>Carton Volume</b>	0.042 m <sup>3</sup>	0.042 m <sup>3</sup>	0.020 m <sup>3</sup>	0.020 m <sup>3</sup>	0.060 m <sup>3</sup>
<b>Net weight</b>	11.05 kgs	15.77 kgs	5.75 kgs	6.00 kgs	3.50 kgs
<b>Gross weight</b>	11.55 kgs	16.17 kgs	6.10 kgs	6.40 kgs	4.00 kgs
<b>FCL 20'</b>	700 cartons	700 cartons	1200 cartons	1200 cartons	500 cartons
<b>FCL 40'</b>	1305 cartons	1305 cartons	2600 cartons	2600 cartons	900 cartons
<b>FCL 40' HC</b>	1500 cartons	1500 cartons	2900 cartons	2900 cartons	1000 cartons

<sup>1</sup> Please check model availability

<sup>2</sup> FSDU comes flat packed, once folded-out it can hold up to 100 products (mixed)

### Contact information

allocacoc bv  
Rotterdamseweg 386 B1  
2629 HG Delft  
The Netherlands

tel: +31 (0) 15 889 83 33  
fax: +31 (0) 15 889 83 34  
e: info@allocacoc.com  
w: www.allocacoc.com

KvK n°: 50859110  
BTW/VAT: NL822965240B01  
IBAN: NL61 RABO 0148 0926 40  
BIC: RABONL2U