Synergy 21 LED controller RGB-WW (RGB-CCT) DC12/24V strip/panel 5in1*Milight/Miboxer*

4 0 3 8 8 1 6 0 9 2 6 4 9

The **5 IN 1 LED Strip Controller (DIN Rail)**, model **LS2S**, offers an advanced and versatile solution for controlling your LED strips. Developed for professional use, this controller enables precise and flexible customisation of your lighting, ideal for various applications in residential and commercial areas.

With a working voltage of **DC12V~24V** and an output power of **6A per channel**, this controller offers an impressive total power of up to **10A**. This ensures a stable and efficient power supply for your LED strips. The controller works reliably in a temperature range from **-20 to 60°C**, making it suitable for use in various environments.

Thanks to the **common anode connection**, integration into existing lighting systems is uncomplicated and safe. The control range is **30 metres**, giving you convenient and flexible control over your lighting. The controller supports **DIN rail mounting** with **TS-35/7.5 or TS-35/15** sizes, which enables simple and safe installation in control cabinets and other mounting systems.

With the **5 IN 1 LED Strip Controller (DIN Rail)** you can efficiently control and customise your LED strips. The robust design and advanced technology ensure a long service life and reliable performance. Use this controller to take your lighting projects to the next level and create the perfect lighting mood.

Experience the benefits of the **5 IN 1 LED Strip Controller (DIN Rail)** and optimise your lighting solutions with this powerful and flexible controller.

Product Name: 5 IN 1 LED Strip Controller (DIN Rail)
Model No.: LS2S
Working Voltage: DC12V~24V
Output: 6A/Channel

www.synergy21.de

Total Output Max: 10A
Working Temperature: -20~60?
Control Distance: 30m
Connection: Common anode
DIN-Rail mounting size: TS-35/7.5 or TS-35/15

Attributes

Attribute	Value
CC oder CV:	CV
Lichtfarbe:	RGB-WW
Weight:	0.5 Kg
Warranty:	24.00 Months

Additional Images

www.synergy21.de

Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22
Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Page 2/5

2.4GHz remote control
Smart phone APP control

Wireless remote and smartphone control, realize the multi-functional setting, experience smart home life.
*Need WiFi iBox for smartphone APP control.

Compatible with

FUT089 FUT088 FUT092 FUT096 FUT087 FUT006 FUT007 FUT091 B8 B4/T4 B3/T3 B2/T2 B1/T1 B0

Switching mode by one button

Brightness, CCT, RGB, RGBW and RGB+CCT output mode.
one-key switching, easy operation

Indicating Lamp

Output mode button

Auto-synchronization function

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and with same speed.

Controller
Controller
Controller
Controller
Controller
Controller

Auto-transmitting function

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a strip controller within 30m, the remote control distance can be limitless.

Auto-transmitting   Auto-transmitting   Auto-transmitting

Controller   Controller   Controller   Controller ...

Distance 30m   Distance 30m   Distance 30m   Distance 30m

www.synergy21.de

Accessories

Part No.	Name
110942	Synergy 21 top-hat rail / DIN rail
147981	Synergy 21 LED remote RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
147982	Synergy 21 LED remote RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148005	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148006	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
149164	Synergy 21 LED remote Smart Panel RGB-WW (RGB-CCT) *Milight/Miboxer*

www.synergy21.de

Synergy21 - A Brand of ALLNET GmbH - Maistraße 2 - 82110 Germering - synergy21@allnet.de - 089 / 894 222 22
Errors and technical changes that serve the interests of progress or development of the product, are reserved.

Page 4/5

Part No.	Name
149663	Synergy 21 LED remote RGB-WW (RGB-CCT) 1 zones *Milight/Miboxer*
149819	Synergy 21 LED remote single color 4 zones *Milight/Miboxer*
149821	Synergy 21 LED remote single color 4 zones full touch *Milight/Miboxer*
154732	Synergy 21 LED remote smart panel single color 4zones *Milight/Miboxer*
154733	Synergy 21 LED remote smart panel RGB/RGBW 4 zones *Milight/Miboxer*
154781	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
155624	Synergy 21 LED remote single color touch dimm*Milight/Miboxer*
157592	Synergy 21 LED remote smart panel dual white (CCT) 4-zones *Milight/Miboxer*
158722	Synergy 21 LED remote dual white (CCT) 4 zones *Milight/Miboxer*
159413	Synergy 21 LED remote smart panel dual white (CCT) 4-zones *Milight/Miboxer*
159434	Synergy 21 LED remote smart panel single color 4-zones *Milight/Miboxer*
159435	Synergy 21 LED remote smart panel RGB/RGB-W 4 Zonen *Milight/Miboxer*

Errors and technical changes that serve the interests of progress or development of the product, are reserved.